



Manufactured by: HARPO spa – **Rialto** division 34123 Trieste - Italy  
Tech. Sheet N°: 05/P/RI  
Product name: **RIALTO AEROTEX**  
Revision nr. 5 dated: 01.10.2008

## 01. IDENTIFICATION OF THE PREPARATION AND THE COMPANY

### 1.1 Identification of the substance or preparation:

**Product name:** Rialto Aerotex.

### 1.2 Use of the substance/preparation:

**Intended use:** Rialto Aerotex is a perfect solution to give a special opaque decorative effect to walls and to give them a high transpirability.

### Chemical name and synonym:

Interior wall paint based on emulsion resins, inert materials and pigments.

### 1.3 Company Identification:

**Name:** HARPO spa.

**Full address:** Via Torino, 34

34123 - Trieste, Italy,

**District and Country:**

tel. +39 040 3186611, fax +39 0403186666

**E-mail address of the competent person responsible for the Safety Data Sheet:**

rialto@rialto-colors.com (rif. Dr. Renzi – technical manager)

**Product distribution by:**

Harpo spa

**1.4 Telephone number for urgent inquiries:**

+ 39 040 2397211 (timetable: 8.00 – 16.30)

## 02. HAZARD IDENTIFICATION

This preparation is not dangerous under 67/548/EEC and 1999/45/EC directives and subsequent amendments (Directive 2006/8/CE). Nevertheless, this preparation contains substances in concentrations that must be declared in section No. 3 and requires a safety data sheet containing all the information required under the Regulation (EC) 1907/2006 and subsequent amendments.

## 03. COMPOSITION/INFORMATION ON INGREDIENTS

Contains:

Name	Concentration C	Classification
CALCIUM AND MAGNESIUM CARBONATE Cas No 16389-88-1 CE No 240-440-2 Substance with a community workplace exposure limit	27 – 30 %	-
FOSSIL CALCIUM CARBONATE Cas No 68855-54-9	2,4 – 3 %	Xn, R20, R48
TITANIUM DIOXIDE Cas No 13463-67-7 CE No 236-675-5 Substance with a community workplace exposure limit	4 – 5 %	-
PROPYLENE GLYCOL Cas No 57-55-6 CE No 200-338-0 Substance with a community workplace exposure limit	1 – 1,5 %	-
5-CHLORO-2METHYL-2H-ISOTHIAZOL-3-ONE/2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1) Cas No 55965-84-9 Index No 613-167-00-5	0 - 0,0013 %	T, R23/24/25 C, R34 Xi, R43 N, R50/53
WHITE MINERAL OIL Cas No 8042-47-5 CE No 232-455-8 Substance with a community workplace exposure limit	0 – 1 %	-

**MATERIAL SAFETY DATA SHEET** - according to european directive 2006/8/EC  
and Regulation n. 1907/2006




Manufactured by:  
Tech. Sheet N°:  
Product name:  
Revision nr. 5 dated:

HARPO spa – **Rialto** division 34123 Trieste - Italy  
05/P/RI  
**RIALTO AEROTEX**  
01.10.2008

CALCIUM CARBONATE 19 – 21 % -  
Cas No 471-34-1  
CE No 207-439-9  
Substance with a community workplace exposure limit

**04. FIRST – AID MEASURES**

**EYES:** Irrigate copiously with clean, fresh water for at least 15 minutes. Seek medical advice.  
**SKIN:** Wash immediately with plenty of water. Remove contaminated clothing. If irritation persists seek medical attention. Wash contaminated clothing before using them.  
**INHALATION:** Remove to fresh air. If breathing is irregular seek medical advice.  
**INGESTION:** Obtain immediate medical attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person.

	In all cases of doubt or if symptoms persist, resorting to medical care. Never give anything by mouth, if the person is unconscious.
--	---

**05. FIRE – FIGHTING MEASURES**

Allow containers to cool in order to avoid product decomposition and generation of substances which might injure the health and be dangerous for safety reasons. Wear the fire equipment all the time.  
Use traditional means of extinction: carbon dioxide, foam and water.

**06. ACCIDENTAL RELEASE MEASURES**

Cover the spillage with inert absorbent material. Collect as far as possible the resulting mass and discard the remainder by spraying water, if not contraindicated.  
For information on environmental and health risks, protection of the respiratory airways, ventilation and individual protective measures refer to the other sections of this sheet.

**07. HANDLING AND STORAGE**

Store in a well ventilated place keeping the containers closed when not used. Do not smoke while handling. Keep far away from sources of heat, naked flames and sparks and other sources of ignition; do not spray in the vicinity of flames or incandescent materials. For information on environmental and health risks, protection of the respiratory airways, ventilation and individual protective measures refer to the other sections of this sheet.

**08. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Exposure limit values:**

Name	Type	State	mg/m <sup>3</sup>	ppm	TWA/8h mg/m <sup>3</sup>	STEL/15min ppm
CALCIUM CARBONATE						
CALCIUM AND MAGNESIUM CARBONATE	TLV-ACGIH		10			
	TLV-ACGIH		10			
	OEL	IRL	4			
TITANIUM DIOXIDE	WEL	UK	4			
	TLV-ACGIH		10			
	OEL	IRL	4			
1,2-PROPANEDIOL	RV	LT	7			
	OEL	IRL	10			
	WEL	UK	1	150		

**MATERIAL SAFETY DATA SHEET** - according to european directive 2006/8/EC  
and Regulation n. 1907/2006



Manufactured by:  
Tech. Sheet N°:  
Product name:  
Revision nr. 5 dated:

HARPO spa – **Rialto** division 34123 Trieste - Italy  
05/P/RI  
**RIALTO AEROTEX**  
01.10.2008

TALC

TLV-ACGIH		2	
OEL	IRL	0,8	
WEL	UK		150

### 8.2 Exposure controls:

In order to minimize exposure as far as possible, it is strongly recommended to use adequate individual protective measures, such as: masks suitable for the product, goggles, gloves and overall.



Do not eat, drink or smoke while handling it. Accurately wash the hands with soap and water before meals and at the end of the work shift.

## 09. PHYSICAL AND CHEMICAL PROPERTIES

Odour	Slight
Physical appearance	Creamy
Solubility	N.A.
Solubility in solvents	Partially miscible
Solubility in water	Miscible
Volatile substances % by volume (solvents):	0,5%
Viscosity:	12.000 ± 500 mPas
Vapour density:	1
Evaporation speed:	< 1
Comburent properties:	N.A.
Partition coefficient:	N.A.
n-octanol/water:	N.A.
pH:	8,00 ± 0,50
Boiling point:	> 150°C
Flash point:	N.A.
Explosive properties:	N.A.
Vapour pressure:	N.A.
Specific gravity:	1,58 ± 0,02 Kg/l
Solid content (by weight):	60,00 ± 1,00 %
VOC (Directive 2004/42/EC):	< 2 % - 25 g/l
VOC (volatile carbon):	< 1 % - 11 g/l

## 10. STABILITY AND REACTIVITY

The product is stable in normal conditions of use and storage. In the event of thermal decomposition or fire, vapours potentially dangerous to health may be released. Propylene glycol: it is hygroscopic, stable at normal conditions; at high temperatures, it tends to oxidize yielding propionaldehyde as well as lactic and acetic acid. Calcium carbonate: avoid contact with acids.



Manufactured by:  
Tech. Sheet N°:  
Product name:  
Revision nr. 5 dated:

HARPO spa – **Rialto** division 34123 Trieste - Italy  
05/P/RI  
**RIALTO AEROTEX**  
01.10.2008

## **11. TOXICOLOGICAL INFORMATION**

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled carefully according to good industrial practices. This preparate may have slight health effects on sensitive people, by inhalation and/or cutaneous absorption and/or contact with eyes and/or ingestion.

CALCIUM CARBONATE: oral LD50 (mg/kg) 6450 (RAT)  
TITANIUM DIOXIDE: oral LD50 (mg/kg) > 10000 (RAT)  
1,2-PROPANEDIOL: oral LD50 (mg/kg) 20800 (RAT) ; dermal LD50 (mg/kg) 20800 (RAT)

## **12. ECOLOGICAL INFORMATION**

Use this product according to good working practices. Avoid litter. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

MIT / CIT (3:1)  
EC50 (48h): 0,12 mg/l DAPHNIA MAGNA  
LC50 (96h): 0,22 mg/l Oncorhynchus mykiss

## **13. DISPOSAL CONSIDERATIONS**

Consider the possibility of burning the product in a suitable incenerator. Acid or basic products must always be neutralized before undergoing any treatment, including biological treatment whenever feasible. If the waste is solid, it can be disposed of in a landfill.

## **14. TRANSPORT INFORMATIONS**

This substance is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

## **15. REGULATORY INFORMATION**

Warning symbols: None  
Hazard sentences (R): None  
Caution recommendations (S): None

This product is not subject to hazard labeling under the 67/548/EEC and 1999/45/EC directives and following amendments and adjustments (directive 2006/8/EC and regulation 1907/EC).

### **DIRECTIVE 2004/42/EC**

**Paints for interior matt walls and ceilings (WB) (gloss ≤ 25@60°)**

EU limit value (A/a): 75 g/l (2007); 30 g/l (2010)

This product contains at maximum: **25 g/l** of VOC

## **16. FURTHER INFORMATIONS**

Text of -R- phrases quoted in section 3 of the sheet.

R20	Harmful by inhalation.
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R48	Danger of serious damage to health by prolonged exposure.
R34	Causes burns.
R43	May cause sensitization by skin contact.
R50/53	Very toxic to aquatic organism, may cause long term adverse effect to the aquatic environment.

### GENERAL BIBLIOGRAPHY

1. Regulation 2006/8/CE
2. Regulation 1999/45/CE and following amendments (technical adjustment XXX);

**MATERIAL SAFETY DATA SHEET -** according to european directive 2006/8/EC  
and Regulation n. 1907/2006



Manufactured by:  
Tech. Sheet N°:  
Product name:  
Revision nr. 5 dated:

HARPO spa – **Rialto** division 34123 Trieste - Italy  
05/P/RI  
**RIALTO AEROTEX**  
01.10.2008

3. Regulation 67/548/CEE and following amendments and adjustments (technical adjustment XXVIII);
4. Regulation 91/155/CEE and following amendments;
5. Regulation (EC) 1907/2006 and subsequent amendments.
6. The Merck Index. - 10th Edition;
7. Handling Chemical Safety;
8. Niosh - Registry of Toxic Effects of Chemical Substances;
9. INRS - Fiche Toxicologique (toxicological sheet);
10. Patty - Industrial Hygiene and Toxicology;
11. N.I. Sax-Dangerous properties of Industrial Materials-7, 1989 Edition;

**Note for users:**

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property. The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Changes to previous review  
The following sections were modified:  
01/ 02 / 03 / 08 / 09 / 11 / 15 / 16