



Manufactured by: HARPO spa – **Rialto** division 34123 Trieste - Italy
Tech. Sheet N°: 01/P/RI
Product name: **RIALTO FINISH**
Revision nr. 6 dated: 01.10.2008

01. IDENTIFICATION OF THE PREPARATION AND THE COMPANY

1.1 Identification of the substance or preparation:

Product name: Rialto Finish.

1.2 Use of the substance/preparation:

Intended use: Permeable and protective coating for interiors and exteriors.
Chemical name and synonym: Resin based quartz finishing coating which acts as binder, different – sized hard aggregates such as mica, quartz and granite, selected pigments, special additives.

1.3 Company Identification:

Name: HARPO spa.
Full address: Via Torino, 34
34123 - Trieste, Italy,
tel. +39 040 3186611, fax +39 0403186666
District and Country:
E-mail address of the competent person responsible for the Safety Data Sheet: rialto@rialto-colors.com (rif. Dr. Renzi – technical manager)
Product distribution by: Harpo spa
1.4 Telephone number for urgent inquiries: + 39 040 2397211 (timetable: 8.00 – 16.30)

02. HAZARD IDENTIFICATION

This preparate is not dangerous under 67/548/EEC and 1999/45/EC directives and subsequent amendments (Directive 2006/8/CE). Nevertheless, this compound contains substances in concentrations that must be declared in section No. 3 and requires a safety data sheet containing all the information required under the Regulation (EC) 1907/2006 and subsequent amendments.

03. COMPOSITION/INFORMATION ON INGREDIENTS

Denominazione	Concentrazione (C)	Classificazione
Titanium dioxide	18,0 – 20,0 %	
N°Cas 13463-67-7		
N°CE 236-675-5		
Substance with a community workplace exposure limit		
Calcium and magnesium carbonate	5,0 – 10,0 %	
N°Cas 16389-88-1		
N°CE 240-440-2		
Mica		
N°Cas 12001-26-2	1,0 – 3,0 %	
Substance with a community workplace exposure limit		
5-chloro-2-methyl-2H-isothiazol-3-one	0,0010 – 0,0013%	T R23/24/25
/2-methyl-2H-isothiazol-3-one (3 :1)		C R 34
N°Cas 55965-84-9		Xi R 43
N°Index 613-167-00-5		N R 50/53
Quartz	13,00 - 15,00 %	Xn R48/20
Cas No 14808-60-7		
CE No 238-878-4		
Chlorite	1,00 – 3,00 %	
Cas No 1318-59-8		
CE No 215-285-9		
Substance with a community workplace exposure limit		

The complete text of – R – phrases is specified in section 16.

MATERIAL SAFETY DATA SHEET - according to european directive 2006/8/EC and regulation (EC) 1907/2006



Manufactured by:
Tech. Sheet N°:
Product name:
Revision nr. 6 dated:

HARPO spa – **Rialto** division 34123 Trieste - Italy
01/P/RI
RIALTO FINISH
01.10.2008

04. FIRST – AID MEASURES

EYES: Irrigate copiously with clean, fresh water for at least 15 minutes. Seek medical advice.

SKIN: Wash immediately with plenty of water. Remove contaminated clothing. If irritation persists seek medical attention. Wash contaminated clothing before using them.

INHALATION: Remove to fresh air. If breathing is irregular seek medical advice.

INGESTION: Obtain immediate medical attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person.



In all cases of doubt or if symptoms persist, seek medical advice. Never give anything by mouth to an unconscious person.

05. FIRE – FIGHTING MEASURES

Allow containers to cool in order to avoid product decomposition and generation of substances which might injure the health and be dangerous for safety reasons. Wear the fire equipment all the time.

06. ACCIDENTAL RELEASE MEASURES

Extinguish the sources of ignition or heat; cover the spillage with inert absorbent material. Collect as far as possible the resulting mass and discard the remainder by spraying water, if not contraindicated.

For information on environmental and health risks, protection of the respiratory airways, ventilation and individual protective measures refer to the other sections of this sheet.

07. HANDLING AND STORAGE

Store in a wellventilated place keeping the containers closed when not used. Do not smoke while handling. Keep far away from sources of heat, naked flames and sparks and other sources of ignition; do not spray in the vicinity of flames or incandescent materials. For information on environmental and health risks, protection of the respiratory airways, ventilation and individual protective measures refer to the other sections of this sheet.

08. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Exposure limit values:

Calcium, magnesium carbonate			
- TLV TWA	10	mg/m ³	ACGIH
Mica			
- TLV TWA	0,1	mg/m ³	ACGIH
Chlorite			
- TLV TWA	0,1	mg/m ³	ACGIH
Titanium dioxide			
- TLV TWA	10	mg/m ³	ACGIH
Quartz			
- TLV TWA	0,1	mg/m ³	ACGIH
Talc			
- TLV TWA	2	mg/m ³	ACGIH

- The data refer to the substances and not to the mixture.

8.2 Exposure controls:

Adopt the closed circuit, if possible. If lacking, in order to avoid exposure and prevent its possible effects, even long term, it is necessary to use adequate individual protective measures such as: masks, safety goggles, impermeable gloves and overalls, resistant to the product:

MATERIAL SAFETY DATA SHEET - according to european directive 2006/8/EC and regulation (EC) 1907/2006



Manufactured by:
Tech. Sheet N°:
Product name:
Revision nr. 6 dated:

HARPO spa – **Rialto** division 34123 Trieste - Italy
01/P/RI
RIALTO FINISH
01.10.2008



Ensure that all the operators follow the recommended precautions. Attach a copy to the containers in which the product may be transferred and do not use the product if the working conditions do not correspond to the recommended precautions; avoid contact with the eyes and skin and prolonged breathing of the vapours; store the container sealed when not being used. Do not eat, drink or smoke while handling it. Accurately wash the hands with soap and water before meals and take a shower at the end of the work shift. Working clothes should be washed separately and stored in a separate place. In order to prevent longterm effects, periodic health controls should be carried out even if not established by the law, including supplementary examinations which are deemed necessary according to the discretion of the occupational physician.

09. PHYSICAL AND CHEMICAL PROPERTIES

Odour	Slight
Physical appearance	Creamy
Solubility in solvents	Partially miscible
Solubility in water	Miscible
Volatile substances % by volume (solvents)	1,0 %
Hazardous reactions	N/A
Viscosity	8.000 ± 500 mPas
Vapour density	1
Evaporation speed	< 1
Comburent properties	N.D.
Partition coefficient: n-octanol/water	N.D.
pH	7,50 ± 0,20
Boiling point	> 150 °C
Flash point	N.D.
Explosive properties	N.D.
Vapour pressure	N.D.
Specific gravity	1,48 ± 0,02 Kg/l
Solid content (by weight)	64,00 ± 0,50 %
VOC (directive 2004/42/CE)	2,00 % - 29 g/l
VOC (volatile carbon)	1,00 % - 14 g/l

10. STABILITY AND REACTIVITY

The product is stable in normal conditions of use and storage. In the event of thermal decomposition or fire, vapours potentially dangerous to health may be released.

11. TOXICOLOGICAL INFORMATION

Upon contact with skin, this product causes sensitization (dermatitis). Dermatitis derives from skin irritation on the areas which repeatedly come into contact with the sensitizing agent. Cutaneous lesions may include: erythemas, edemas, papules, vesicles, pustules, scurves, ulcerations and exudative phenomena, whose intensity varies according to illness seriousness and affected areas. Erythemas, edemas and exudative phenomena prevail during the acute phase. Scurfy skin, dryness, ulcerations and skin thickening prevail during the chronic phase. This product may cause functional disorders or morphological mutations after repeated or prolonged exposure by inhalation of a quantity of 0.25 mg/l/6h/day or lower.

CALCIUM AND MAGNESIUM CARBONATE: LD50 oral (mg/kg) 6450 (rat)
TITANIUM DIOXIDE: oral LD50 (mg/kg) > 10000 (RAT)

MATERIAL SAFETY DATA SHEET - according to european directive 2006/8/EC and regulation (EC) 1907/2006



Manufactured by: HARPO spa – **Rialto** division 34123 Trieste - Italy
Tech. Sheet N°: 01/P/RI
Product name: **RIALTO FINISH**
Revision nr. 6 dated: 01.10.2008

12. ECOLOGICAL INFORMATION

Use this product according to good working practices. Avoid litter. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

13. DISPOSAL CONSIDERATIONS

Consider the possibility of burning the product in a suitable incinerator. Acid or basic products must always be neutralized before undergoing any treatment, including biological treatment whenever feasible. If the waste is solid, it can be disposed of in a landfill.

14. TRANSPORT INFORMATIONS

This substance is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

15. REGULATORY INFORMATION

Warning symbols: None
Hazard sentences (R): None
Caution recommendations (S): None

This product is not subject to hazard labelling under the 67/548/EEC and 1999/45/EC directives and following amendments and adjustments (directive 2006/8/EC and regulation n. 1907/EC).

DIRECTIVE 2004/42/EC

Paint for exterior walls of mineral substrate (WB)

EU limit value for this product (**A/c**): 75 g/l (2007); 40 g/l (2010)

This product contains at maximum: **30 g/l** of VOC

16. FURTHER INFORMATIONS

Text of -R- phrases quoted in section 3 of the sheet.

R23/24/25 TOXIC BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED.
R34 CAUSES BURNS.
R43 MAY CAUSE SENSITIZATION BY SKIN CONTACT.
HARMFUL: DANGER OF SERIOUS DAMAGE TO HEALTH BY PROLONGED EXPOSURE
R48/20 THROUGH INHALATION.
R50/53 VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECT IN THE AQUATIC ENVIRONMENT

GENERAL BIBLIOGRAPHY

1. Regulation 1999/45/CE and following amendments (directive 2006/8/CE);
2. Regulation 67/548/CEE and following amendments and adjustments (technical adjustment XXVIII);
3. Regulation n. 1907/EC.
4. Regulation 91/155/CEE and following amendments;
5. The Merck Index. - 10th Edition;
6. Handling Chemical Safety;
7. Niosh - Registry of Toxic Effects of Chemical Substances;
8. INRS - Fiche Toxicologique (toxicological sheet);
9. Patty - Industrial Hygiene and Toxicology;
10. N.I. Sax-Dangerous properties of Industrial Materials-7, 1989 Edition;

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each

MATERIAL SAFETY DATA SHEET - according to european directive 2006/8/EC and regulation (EC) 1907/2006



Manufactured by:
Tech. Sheet N°:
Product name:
Revision nr. 6 dated:

HARPO spa – **Rialto** division 34123 Trieste - Italy
01/P/RI
RIALTO FINISH
01.10.2008

specific use of the product. This document must not be regarded as a guarantee on any specific product property. The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Changes to previous review
The following sections were modified:
01 / 02 / 03 / 04 / 08 / 09 / 10 / 11 / 12 / 15 / 16